

Building product declaration

according to BPD associations' standardised format eBVD

2024-11-04 12:37:34

Damper unit- PRO-S

1. COMPANY INFORMATION

Lindab Sverige AB

Company name:	Organisation number:			
Lindab Sverige AB	556247-2273			
Address:	Contact person:			
Dolkvägen 16	Kundtjänst			
E-mail:	Telephone:			
kundtjanst.ventilation@lindab.com	+46 10 14 64 100			
VAT number:	Website:			
	www.lindab.com			
GLN:	DUNS:			
7300009-00795-0				
Company was last saved				
2024-08-30 05:56:46				
Company's certification ✓ ISO 9001 ✓ ISO 14001 Other:				
Policies and guidelines				
The company has a code of conduct/policy/guidelines for dealing with the requirements	social responsibility in the supplier chain, including procedures for ensuring			
This is third-party audited				
If yes, which if the following guidelines have you affiliated to or management system you have implemented				
UN guiding principles for companies and human rights				
ILO's eight core conventions				
OECD Guidelines for Multinational Enterprises				
✓ UN Global Compact				
ISO 26000				
Other policy guidelines				

Management system

If you have a management system for corporate social responsibility, what out of the following is included in the work?

Mapping

Risk analysis

Action plan

✓ Monitoring

Sustainability reporting guidelines:

GRI (Global Reporting Initiative), GHG (Green House Gas Protocol)

2. ARTICLE INFORMATION

Document data

ld:	Version:		
A-7300009-00795-0-350	1		
Created:	Last saved:		
2024-08-14 06:59:55	2024-11-04 12:37:34		
Changes relates to:			
Damper unit- PRO-S			
Article name:			
Damper unit- PRO-S			
Article No/ID concept			
Article identity: GTIN			
7319662403610			
Product group/Product group classification			
r roudet group r roudet group classification			

Product group system	Product group id
BK04	21098
BK04	90009
BSAB96	UA

Article description:

The PRO-S is used as a damper unit in Lindab Fire System Pro. It works together with a master unit (PRO-M) where most of the setup of the PRO-S is made

Declarations of performance:

Declaration of performance number:

Not applicable

Other information:

Annexes

Annex

RoHS_https://bvbproduction.blob.core.windows.net/productfiles/1f/79/1f79dd38-fadb-47a9-ad9b-5b09974d332d/scs-s2_doc_en.pdf?sv=2021-08-06&spr=https&se=2024-11-04T12%3A46%3A04Z&sr=b&sp=r&sig=Ozk1ZXzJNtf%2BZwT0Lr2Au2kx0S%2FttFcuefl%2BnvQ3TKU%3D

3. CHEMICAL CONTENT

Chemical content

Does the declaration apply to a product or chemical product?

product

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Not applicable

Is there classification of the article?

Not applicable

If yes, indicate the classification of the product under Regulation (EC) No

Enter which version of the candidate list has been used (Year, month, day)

2024-06-27

The article is covered by the RoHS Directive:

Enter the weight of the article:

Yes

Enter how large a proportion of the material content has been declared [% 1.

100

If 100% material content is not declared, please state the reason

If the article contains nanomaterials deliberately added to obtain a particular function, enter these here:

Has the presence of nanomaterials deliberately added to notifiable chemical products been reported to the Product Register

No

Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:

Article and/or sub-components

Phase	Delivery	
Component	Casing	Weight% of =65.52 product

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Additives		<0.1		
Plastic		=7.27		
Plastic	Poly(Styrene-Ethylene- Butadiene- Styrene) Elastomer, TPS-SEB	=100	-	
Steel		=0.47		
Steel	Stainless steel	=100	SUS304	
Thermoplastic		=57.78		
Thermoplastic	Polycarbonat	=100	25037-45-0	

Component	Electronics	Weight% of =34.48	
•		product	

Comment

information incorrectly entered into the database.

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
	Passive components	=4.41	-	-

The data provider is solely responsible for data on articles/products that have been registered in the database. The data provider and the Swedish Association of Construction Product Industries cannot be held responsible for correct

	PCB	=16.96	-
	Semiconductors	=4.44	-
	Terminals	=8.5	-
Other		=0.16	

Other information:

4. RAW MATERIALS

Is there supporting documentation for the raw materials for third-party certified system for control of origin, raw material extraction, manufacturing or recycling processes or similar (for example BES 6001:2008, EMS certificate, USGBC Program)? If yes, enter system(s):

Raw materials Total recycled material in the article Is recycled material included in the article? Renewable material Enter proportion of renewable material in the article Included biobased raw material is tested according to ASTM test method D6866:

Origin of raw material For this product, there has been no withdrawal of virgin fossil material No If yes, please indicate what percentage of the material in question (or item?) Wood raw materials Wood raw materials are included Included wood raw material is certified How large a proportion is certified [%]? What certification system has been used (for example FSC, CSA, SFI with CoC, PEFC)? Reference number: Enter logging country for the wood raw material and that following criteria have been met. Country of logging: Does not contain type of wood or origin in CITES appendix of endangered species Which version of CITES has been used for the check? The timber has been logged legally and there is certification for this 5. ENVIRONMENTAL IMPACT Environmental impact during life cycle of the article, production phase module A1-A3 under EN Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article? These product-specific rules, known as PCR, have been applied: Registration number / ID number for EPD: If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account from a life cycle perspective:

The product does not have any environmental impact on the surrounding environment during normal

operation.

6. DISTRIBUTION

7.

Distribution of finished article

to applicable best the supplier take back packaging for the article? the supplier affiliated to a system for product responsibility for packaging? the supplier affiliated to a system for product responsibility for packaging? the supplier affiliated to a system for product responsibility for packaging? the supplier affiliated to a system for product responsibility for packaging? the supplier affiliated to a system for product responsibility for packaging? the supplier producentansvar an packaging/packaging be reused? the supplier use Retursystem Byggpall? the supplier use Retursystem Byggpall? the rinformation: possible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable sterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. ONSTRUCTION PHASE ONSTRUCTION PHASE Onstruction phase best the article make special requirements in storage? the supplier take back packaging for the article make special requirements for surrounding building building products?	
the supplier take back packaging for the article? The supplier affiliated to a system for product responsibility for packaging? The supplier affiliated to a system for product responsibility for packaging? The supplier affiliated to a system for product responsibility for packaging? The supplier system for producentansvar The packaging/packaging be recycled? The packaging/packaging be recycled? The packaging/packaging be energy recycled? The packaging/packaging be energy recycled? The packaging/packaging be responsible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The packaging consists of recyclable aterials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The packaging packaging between 5-95% RH. The p	Does the supplier apply any system with multiple-use packaging for the article?
the supplier affiliated to a system for product responsibility for packaging? ss yes, which packaging and which system? siringslivets producentansvar an packaging/packaging be reused? ss an packaging/packaging be recycled? ss an packaging/packaging be energy recycled? ss bes the supplier use Retursystem Byggpall? beher information: possible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. ONSTRUCTION PHASE onstruction phase bes the article make special requirements in storage? ss pecify mould be stored in temperatures between -25 and +70 °C, hibent humidity (non-condensing) between 5-95% RH. bes the article make special requirements for surrounding building oducts?	Not applicable
the supplier affiliated to a system for product responsibility for packaging? sizes yes, which packaging and which system? sizes an packaging/packaging be reused? sizes an packaging/packaging be recycled? sizes an packaging/packaging be energy recycled? sizes	Does the supplier take back packaging for the article?
yes, which packaging and which system? airingslivets producentansvar an packaging/packaging be reused? as an packaging/packaging be recycled? an packaging/packaging be energy recycled? an packaging/packaging be recycled? an packaging/packaging	No
yes, which packaging and which system? airingslivets producentansvar an packaging/packaging be reused? as an packaging/packaging be recycled? as an packaging/packaging be energy recycled? as an packaging/packaging be energy recycled? as an packaging/packaging be energy recycled? as best the supplier use Retursystem Byggpall? best the supplier use Retursystem Byggpall? best the information: possible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. CONSTRUCTION PHASE onstruction phase use the article make special requirements in storage? as an packaging/packaging be reused? an packaging/packaging be recycled? an packaging	Is the supplier affiliated to a system for product responsibility for packaging?
an packaging/packaging be reused? an packaging/packaging be recycled? an packaging/packaging be recycled? an packaging/packaging be energy recycled? as an packaging/packaging be energy recycled? as best he supplier use Retursystem Byggpall? best he supplier use Retursystem Byggpall? best he supplier use Retursystem Byggpall? cher information: possible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. CONSTRUCTION PHASE onstruction phase best the article make special requirements in storage? as best be article make special requirements for surrounding building oducts?	Yes
an packaging/packaging be reused? an packaging/packaging be recycled? an packaging/packaging be energy recycled? an packaging/packaging be reused? an packaging/packaging be recycled? an packaging/packaging be energy recycled? an packaging/packaging be energy recycled? an packaging/packaging be	If yes, which packaging and which system?
an packaging/packaging be recycled? as an packaging/packaging be energy recycled? as an packaging/packaging be energy recycled? as best he supplier use Retursystem Byggpall? be the information: consible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. CONSTRUCTION PHASE construction phase construction phase construction make special requirements in storage? as pecify could be stored in temperatures between -25 and +70 °C. and the products of the products	Näringslivets producentansvar
an packaging/packaging be recycled? as an packaging/packaging be energy recycled? as packaging/packaging be energy recycled? as possible supplier use Retursystem Byggpall? be the information: consistive products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. CONSTRUCTION PHASE construction phase be the article make special requirements in storage? as pecify could be stored in temperatures between -25 and +70 °C. and the products of	Can packaging/packaging be reused?
an packaging/packaging be energy recycled? ss best the supplier use Retursystem Byggpall? cher information: possible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. ONSTRUCTION PHASE onstruction phase pees the article make special requirements in storage? as pecify could be stored in temperatures between -25 and +70 °C. anbient humidity (non-condensing) between 5-95% RH. pees the article make special requirements for surrounding building oducts?	Yes
an packaging/packaging be energy recycled? ses best the supplier use Retursystem Byggpall? cher information: possible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. CONSTRUCTION PHASE construction phase the article make special requirements in storage? ses pecify could be stored in temperatures between -25 and +70 °C. mbient humidity (non-condensing) between 5-95% RH. best the article make special requirements for surrounding building oducts?	Can packaging/packaging be recycled?
bes the supplier use Retursystem Byggpall? The information: Dossible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. CONSTRUCTION PHASE Onstruction phase Does the article make special requirements in storage? Does the article make special requirements in storage? Does the article make special requirements of the customer/branch. Does the article make special requirements for surrounding building building building odducts?	Yes
their information: possible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. CONSTRUCTION PHASE CONS	Can packaging/packaging be energy recycled?
ther information: possible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. CONSTRUCTION PHASE Onstruction phase Descriptions the article make special requirements in storage? Description between -25 and +70 °C. The product of the produc	Yes
ther information: possible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. CONSTRUCTION PHASE CONST	Does the supplier use Retursystem Byggpall?
possible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable aterial. Shipments of manufactured goods are mainly transported by truck to the customer/branch. **CONSTRUCTION PHASE** **Construction phase** **Description of the stored in temperatures between -25 and +70 °C. Indient humidity (non-condensing) between 5-95% RH. **Description of the stored in temperatures between 5-95% RH	No
According to the customer/branch. CONSTRUCTION PHASE Construction phase Does the article make special requirements in storage? Does the stored in temperatures between -25 and +70 °C. The branch condensing between 5-95% RH. Does the article make special requirements for surrounding building bui	Other information:
pes the article make special requirements in storage? pes the article make special requirements in storage? pecify pould be stored in temperatures between -25 and +70 °C. phient humidity (non-condensing) between 5-95% RH. pes the article make special requirements for surrounding building poducts?	If possible, products are packed together. The packaging materials include wood, cardboard, and plastic wrap. All packaging consists of recyclable material. Shipments of manufactured goods are mainly transported by truck to the customer/branch.
Dees the article make special requirements in storage? Dees to be stored in temperatures between -25 and +70 °C. Inbient humidity (non-condensing) between 5-95% RH. Dees the article make special requirements for surrounding building boducts?	CONSTRUCTION PHASE
pecify nould be stored in temperatures between -25 and +70 °C. Inbient humidity (non-condensing) between 5-95% RH. Does the article make special requirements for surrounding building poducts?	Construction phase
pecify mould be stored in temperatures between -25 and +70 °C. mbient humidity (non-condensing) between 5-95% RH. pes the article make special requirements for surrounding building poducts?	Does the article make special requirements in storage?
nould be stored in temperatures between -25 and +70 °C. Indient humidity (non-condensing) between 5-95% RH. Indies the article make special requirements for surrounding building build	Yes
nould be stored in temperatures between -25 and +70 °C. Inbient humidity (non-condensing) between 5-95% RH. It is a strictly make special requirements for surrounding building oducts?	Specify
pes the article make special requirements for surrounding building oducts?	Should be stored in temperatures between -25 and +70 °C.
oducts?	
	products?
pecity	No
	Specify
her information:	Other information:

8. USE PHASE

Use phase

	Does the article make requirements for input materials for operation and maintenance?
	No
	Specify:
	Does the article require supply of energy during operation?
	No
	Specify:
	Estimated technical service life for the article:
	Not specified
	Comment:
	Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?
	Not applicable
	If yes, enter labelling (G to A, A+, A+++, A+++):
	If yes, enter marking (G to A)
	Other information:
	Other information:
)_	
).	Other information: DEMOLITION Demolition
).	DEMOLITION Demolition
).	DEMOLITION Demolition Is the article prepared for disassembly (dismantling)?
).	DEMOLITION Demolition Is the article prepared for disassembly (dismantling)? Yes
).	DEMOLITION Demolition Is the article prepared for disassembly (dismantling)? Yes Can the product be separated into pure material types for recycling?
).	DEMOLITION Demolition Is the article prepared for disassembly (dismantling)? Yes Can the product be separated into pure material types for recycling? Yes
).	DEMOLITION Demolition Is the article prepared for disassembly (dismantling)? Yes Can the product be separated into pure material types for recycling? Yes Specify:
).	DEMOLITION Demolition Is the article prepared for disassembly (dismantling)? Yes Can the product be separated into pure material types for recycling? Yes Specify: The materials can easily be separated to a high separation degree. Does the article require special measures for protection of health and
).	DEMOLITION Demolition Is the article prepared for disassembly (dismantling)? Yes Can the product be separated into pure material types for recycling? Yes Specify: The materials can easily be separated to a high separation degree.

10. WASTE MANAGEMENT

Delivered article

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?
Yes
Is reuse possible for the whole or parts of the article when it becomes waste?
No
Specify:
Is material recovery possible for the whole or parts of the article when it becomes waste?
Yes
Specify:
Dismantling of the product: separate the plastic, metals and electronic parts and recycle at appropriate facility and according to local laws.
Is energy recovery possible for the whole or parts of the article when it becomes waste?
Not applicable
Specify:
Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?
Yes
Specify:
Product should be recycled according to local waste legislations.
Waste code for the delivered article when it becomes waste
1602 - 02 Avfall från elektrisk och elektronisk utrustning:
191204 - 04 Plast och gummi.
When the supplied article becomes waste, is it classified as hazardous waste?
No
Mounted article
Is the mounted article classified as hazardous waste?
No
Other information

11. INDOOR ENVIRONMENT

Indoor environment

The article is not intended for indoor use				
The article does not emit any substances				
Emissions from the article not measured				
Does the article have a critical moisture state?				
No				
If yes, state what:				
Noise	Electrical field	Magnetic fields		
Can the article give rise to own noise?	Can the article give rise to electrical fields?	Can the article give rise to magnetic fields?		
Not applicable	Not applicable	Not applicable		
Value:	Value:	Value:		
Unit:	Unit:	Unit:		
Measuring method:	Measuring method:	Measuring method:		
Paints and varnishes				
The article is resistant to fungi and algae in	use in wet areas			
Emissions				

The article produces the following emissions in intended use:

Other information