

# Building product declaration 2015

according to BPD associations' standardised format eBVD2015

UltraLink Controller

## 1. BASIC DATA

### Document data

Id:

A-7300009-00795-0-187

Version:

5

Created:

2019-04-30 05:31:57

Last saved:

2022-02-18 06:40:30

Changes relates to:

Addition of GTIN.

### UltraLink Controller

Article name:

UltraLink Controller

### Article No/ID concept

Article identity: GTIN

7319661639973, 7319661639980, 7319661639997, 7319661640009, 7319661640016, 7319661640023, 7319661640030, 7319661640047, 7319661640054, 7319662158282, 7319662158299, 7319662158305, 7319662158312, 7319662158329, 7319662158336, 7319662158343, 7319662158350, 7319662158367

### Product group/Product group classification

Product group system	Product group id
BK04	21002
BSAB96	Q
BSAB96	QJJ

Article description:

UltraLink Controller (FTCU) is used to control air flow and measure temperature. The air flow measurement technique is based on ultrasonic sensors. Which means that no insertion parts in the air flow are needed that can collect dirt and provide uncertain air flow accuracy - which provides unique benefits of energy efficiency, simplification and cleaning.

FTCU consists of a duct with sensors, controlled damper and display.

This declaration is for damper equipped with motor type LM-A.

Assessments at SundaHus and Byggarubedömningen etc. are registered under the name "UltraLink FTCU". It is also possible to use the article name as search criteria.

Declarations of performance:

Not applicable

Declaration of performance number:

Other information:

### Lindab Sverige AB

Company name:

Lindab Sverige AB

Organisation number:

556247-2273

Address:

Järnvägsgatan 41

Contact person:

Matilda Isaksson

E-mail:

matilda.isaksson@lindab.com

Telephone:

+46 72 353 44 61

VAT number:

SE556247227301

Website:

www.lindab.se

GLN:

DUNS:

## Environmental certification system



BREEAM



BREEAM-SE



LEED 2009



LEED version 4



Miljöbyggnad (Swedish certifica

## References

### Reference

Widman J "Stålet och miljön". Stålbyggnadsinstitutet-Jernkontoret, Stockholm (2001)

## Annexes

### Annex

[https://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADS/Lindab/Building\\_product\\_Declarations/Attachment/Diakon@\\_ST35G8\\_Da](https://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADS/Lindab/Building_product_Declarations/Attachment/Diakon@_ST35G8_Da)

[https://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADS/Lindab/Building\\_product\\_Declarations/Attachment/CYCOLOY™\\_C1200H](https://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADS/Lindab/Building_product_Declarations/Attachment/CYCOLOY™_C1200H)

[https://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADS/Lindab/Building\\_product\\_Declarations/Attachment/SGS\\_Test-report\\_IT-1](https://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADS/Lindab/Building_product_Declarations/Attachment/SGS_Test-report_IT-1)

[https://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADS/Lindab/Building\\_product\\_Declarations/Attachment/SGS\\_Test-report\\_GDN](https://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADS/Lindab/Building_product_Declarations/Attachment/SGS_Test-report_GDN)

[https://itsolution.lindab.com/lindabwebproductsdoc/pdf/documentation/ADS/lindab/RoHS/Lindab\\_RoHS\\_Ventilation\\_Products.pdf](https://itsolution.lindab.com/lindabwebproductsdoc/pdf/documentation/ADS/lindab/RoHS/Lindab_RoHS_Ventilation_Products.pdf)

[https://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADS/Lindab/Building\\_product\\_Declarations/Attachment/Belimo\\_Spjällmotorer\\_](https://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADS/Lindab/Building_product_Declarations/Attachment/Belimo_Spjällmotorer_)

## 2. SUSTAINABILITY WORK

### Company's certification



ISO 9001



ISO 14001

Other:

### Policies and guidelines



The company has a code of conduct/policy/guidelines for dealing with social responsibility in the supplier chain, including produces for ensuring the requirements



This is third-party audited

If yes, which if the following guidelines have you affiliated to or management system you have implemented



UN guiding principles for companies and human rights



ILO's eight core conventions



OECD Guidelines for Multinational Enterprises



UN Global Compact



ISO 26000

Other policy guidelines

## Management system

If you have a management system for corporate social responsibility, what out of the following is included in the work?



Mapping



Risk analysis



Action plan



Monitoring

Sustainability reporting guidelines:

GRI - Global Reporting Initiative

## 3. DECLARATION OF CONTENTS

### Chemical content

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Not applicable

Enter which version of the candidate list has been used (Year, month, day)

The article is covered by the RoHS Directive:

Yes

Enter how large a proportion of the material content has been declared [%]:

100

If the article contains nanomaterials deliberately added to obtain a particular function, enter these here:

The product does not contain deliberately added nanomaterial

Is the article registered in Basta?

Yes

Other information:

Is there classification of the article?

Not applicable

For complex products, the concentration of included substances has been calculated at:

whole construction product

Enter the weight of the article:

Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:

### Article and/or sub-components

Phase	Delivery				
Component	Cable access	Weight% of product			
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Plastic	PVC	=0.03	9002-86-2	<input type="checkbox"/>	<input type="checkbox"/>

Component	Connection cable		Weight% of product		
<b>Comment</b>					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Copper	=0.5 Comment: Wire	7440-50-8	<input type="checkbox"/>	<input type="checkbox"/>
	Polypropylene (PP)	=0.5 Comment: Wire isolation	9003-07-0	<input type="checkbox"/>	<input type="checkbox"/>
	PUR	=0.5 Comment: Jacket	9009-54-5	<input type="checkbox"/>	<input type="checkbox"/>

Component	Glas display, fiber optic		Weight% of product		
<b>Comment</b>					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Plastic Diakon ST35G8 Acrylic	PMMA	=0.19 Comment: See attached datasheet	9011-14-7	<input type="checkbox"/>	<input type="checkbox"/>

Component	Housing Bott, housing disp		Weight% of product		
<b>Comment</b>					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Plastic Cycoloy C1200HF	ABS	=1.06	9003-56-9	<input type="checkbox"/>	<input type="checkbox"/>
Plastic Cycoloy C1200HF	PC	=1 Comment: See attached datasheet	111211-39-3	<input type="checkbox"/>	<input type="checkbox"/>

Component	Motor	Weight% of product	=18.67		
<b>Comment</b>					
See attachments from Belimo for more info on motor					

Component	Outer cover, console, blade		Weight% of product		
<b>Comment</b>					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Galvanized steel	=69.74	EN 10346:2015	<input type="checkbox"/>	<input type="checkbox"/>

Component	Plastic parts		Weight% of product		
<b>Comment</b>					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Polyamide	=0.32	32131-17-2	<input type="checkbox"/>	<input type="checkbox"/>

Component	Print	Weight% of product			
<b>Comment</b>					

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Electronics	Aluminium	<0.016	7429-90-5	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Brass	<0.01	12597-71-6	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Ceramics	=0.015	66402-68-4	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Copper	=0.03	7440-50-8	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Epoxy resin	<0.01	61788-97-4	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Glas fiber	=0.011	-	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Iron	=0.025	7439-89-6	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Nickel	<0.01	7440-02-0	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Other	<0.01	-	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Phenol resin	<0.01	9003-35-4	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Polyamide	=0.25	63428-84-2	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Silica	=0.21	7631-86-9	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Silicon	<0.01	7440-21-3	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Tin	<0.01	7440-31-5	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	Zinc	<0.01	7440-66-6	<input type="checkbox"/>	<input type="checkbox"/>
PCB	Copper	=0.082	7440-50-8	<input type="checkbox"/>	<input type="checkbox"/>
PCB	Epoxy resin	=0.73	61788-97-4	<input type="checkbox"/>	<input type="checkbox"/>
Comment: See attached test reports for more information about the PCB.					
PCB	Nickel	<1.5	7440-02-0	<input type="checkbox"/>	<input type="checkbox"/>
PCB	TBBPA	=0.12	79-94-7	<input type="checkbox"/>	<input type="checkbox"/>

**Component** Safe sealing strip **Weight% of product**

**Comment**

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Rubber	EPDM	=1.13	25034-71-3	<input type="checkbox"/>	<input type="checkbox"/>
Rubber	Paraffin oil	=0.29	8012-95-1	<input type="checkbox"/>	<input type="checkbox"/>
Comment: Health test performed without remarks.					

**Component** Screws **Weight% of product**

**Comment**

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Steel	=0.44	SS1312	<input type="checkbox"/>	<input type="checkbox"/>

**Component** Steel band **Weight% of product**

**Comment**

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Steel	=0.68	AZ SS-EN 10215	<input type="checkbox"/>	<input type="checkbox"/>

Component	Steel parts	Weight% of product
-----------	-------------	--------------------

**Comment**

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Steel	=0.63	1.1141 / CK15	<input type="checkbox"/>	<input type="checkbox"/>

Component	Transducer	Weight% of product
-----------	------------	--------------------

**Comment**

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Acoustic window - Eccofloat-TG-24A	Epoxy Resins	=0.001	61788-97-4	<input type="checkbox"/>	<input type="checkbox"/>
Acoustic window - Eccofloat-TG-24A	Hollow glass spheres	=0.001	65997-17-3	<input type="checkbox"/>	<input type="checkbox"/>
Coaxial cable RG179 – EN 50289	PE	=0.07	9002-88-4	<input type="checkbox"/>	<input type="checkbox"/>
Coaxial cable RG179 – EN 50289	PVC	=0.23	9002-86-2	<input type="checkbox"/>	<input type="checkbox"/>
Coaxial cable RG179 – EN 50289	Silver plated copper clad steel	=0.06	7440-22-4	<input type="checkbox"/>	<input type="checkbox"/>
		Comment: 7440-22-4, 7440-40-8, 7439-89-6			
Coaxial cable RG179 – EN 50289	Tinned Copper	=0.24	7440-31-5	<input type="checkbox"/>	<input type="checkbox"/>
PCB	Epoxy Resin	=0.01	61788-97-4	<input type="checkbox"/>	<input type="checkbox"/>
PCB	TBBPA	=0.01	79-94-7	<input type="checkbox"/>	<input type="checkbox"/>
Piezo ceramic disc	Lead Zirconate Titanate	=0.055	12626-81-2	<input type="checkbox"/>	<input type="checkbox"/>
Transducer Encapsulation	Polyamide	=0.56	63428-84-2	<input type="checkbox"/>	<input type="checkbox"/>
Transducer house	Aluminium	=0.04	7429-90-5	<input type="checkbox"/>	<input type="checkbox"/>

## 4. RAW MATERIALS

### Raw materials

Component	Material	Transport type
	Steel	Ship
<b>Country of raw material extraction</b>	<b>City of raw material extraction</b>	
Sweden	-	
<b>Country of manufacture/production</b>	<b>City of manufacture/production</b>	
<b>Comment</b>		
The steel raw material is produced at different smelting plants, mainly in the EU, according to the detailed specification of the current standard. The sheet dimensions are then adjusted at the production unit in Grevie.		

### Total recycled material in the article

Is recycled material included in the article?

**Material**

Steel

Proportion after the consumer stage	Proportion before the consumer stage	Weight/percent by weight
100	0	20 %

**Comment**

About 20% recycled material are being used in the production of steel.

**Renewable material**

Enter proportion of renewable material in the article (short cycle, less than 10 years):

0

Enter proportion of renewable material in the article (long cycle, more than 10 years):

0

 Included biobased raw material is tested according to ASTM test method D6866:

Is there supporting documentation for the raw materials for third-party certified system for control of origin, raw material extraction, manufacturing or recycling processes or similar (for example BES 6001:2008, EMS certificate, USGBC Program)? If yes, enter system(s):

No

**Wood raw materials** Wood raw materials are included Included wood raw material is certified

How large a proportion is certified [%]?

What certification system has been used (for example FSC, CSA, SFI with CoC, PEFC)?

Reference number:

Enter logging country for the wood raw material and that following criteria have been met. Country of logging:

 Does not contain type of wood or origin in CITES appendix of endangered species The timber has been logged legally and there is certification for this

## 5. ENVIRONMENTAL IMPACT

### Environmental impact during life cycle of the article, production phase module A1-A3 under EN

Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article?

These product-specific rules, known as PCR, have been applied:

Registration number / ID number for EPD:

Climate impact (GWP100) [kg CO<sub>2</sub>-eq]:

Ozone depletion (ODP) [kg CFC 11-eq]:

Acidification (AP) [kg SO<sub>2</sub>-eq]:

Ground-level ozone (POCP) [kg ethene-eq]:

Eutrophication (EP) [kg (PO<sub>4</sub>)-3-eq]:

Renewable energy [MJ]:

Non-renewable energy [MJ]:

If calculation has been made in Green Guide, enter which rating:

If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account from a life cycle perspective:

Country of final manufacture: Denmark

Transport: <99% truck, deliveries to the customer/branch, <1% electric forklift.

Climate impact from internal transports: CO<sub>2</sub> 0,0025 kg, CH<sub>4</sub> <0,0001 kg and N<sub>2</sub>O <0,0001 kg.

For information about raw materials, distribution, waste etc., see the other sections.

## 6. DISTRIBUTION

### Distribution of finished article

Does the supplier use Retursystem Byggpall?

Yes

Does the supplier apply any system with multiple-use packaging for the article?

No

Does the supplier take back packaging for the article?

No

Is the supplier affiliated to a system for product responsibility for packaging?

Yes

If yes, which packaging and which system?

Förpacknings & Tidningsinsamlingen

Other information:

If possible products are packed together. The packaging materials include wood, cardboard, and plastic wrap.

All packaging consists of recyclable material, the cardboard Lindab uses for packaging consist of 97,5% recycled material. Wooden pallets are being reused. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The average transporting distance is <500 km.



## 7. CONSTRUCTION PHASE

### Construction phase

Does the article make special requirements in storage?

Yes

Specify

To prevent soiling and oxidation, the product should be stored protected from the weather. See Lindab's product catalogue for more information.

Does the article make special requirements for surrounding building products?

No

Specify

Other information:

## 8. USE PHASE

### Use phase

Does the article make requirements for input materials for operation and maintenance?

No

Specify:

Does the article require supply of energy during operation?

Not applicable

Specify:

Estimated technical service life for the article:

25 years

Comment:

Lifetime depends on the environment where the product is being used. Corrosive environments can affect the life of the product negatively. There is a special instruction for the care of this product, see Lindab's product catalogue for more information.

Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?

Not applicable

If yes, enter labelling (G to A, A+, A++, A+++):

Other information:

## 9. DEMOLITION

### Demolition

Is the article prepared for disassembly (dismantling)?

Yes

Specify:

The parts can be separated.

Does the article require special measures for protection of health and environment in demolition/disassembly?

No

Specify:

Other information:

## 10. WASTE MANAGEMENT

### Delivered article

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?

No

Is reuse possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

The entire product can be reused.

Is material recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

Metal and plastic can be recycled.

Is energy recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

Heat recovery occurs at smelter.

Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?

Yes

Specify:

Should be recycled according to recommended waste code.

#### Waste code for the delivered article when it becomes waste

170203 - 03 Plast.

170405 - 05 Järn och stål.

200136 - 36 Annan kasserad elektrisk och elektronisk utrustning än den som anges i 20 01 21, 20 01 23 och 20 01 35.

When the supplied article becomes waste, is it classified as hazardous waste?

No

### Mounted article

Is the mounted article classified as hazardous waste?

No

### Other information

## 11. INDOOR ENVIRONMENT

### Indoor environment

The article is not intended for indoor use

The article does not produce any emissions

Emissions from the article not measured

Does the article have a critical moisture state?

No

If yes, state what:

#### Noise

Can the article give rise to own noise?

No

Value:

Unit:

Measuring method:

#### Electrical field

Can the article give rise to electrical fields?

No

Value:

Unit:

Measuring method:

#### Magnetic fields

Can the article give rise to magnetic fields?

No

Value:

Unit:

Measuring method:

### Paints and varnishes

The article is resistant to fungi and algae in use in wet areas

### Emissions

The article produces the following emissions in intended use:

### Other information