

1. COMPANY INFORMATION

Lindab Sverige AB Filial

Company name:

Lindab Sverige AB Filial

Organisation number:

556247-2273

Address:

Dolkvägen 16

Contact person:

Kundtjänst

E-mail:

kundtjanst.ventilation@lindab.com

Telephone:

+46 10 14 64 100

VAT number:

Website:

www.lindab.com

GLN:

7300009-00795-0

DUNS:

Company was last saved

2025-02-10 10:43:06

Company's certification



ISO 9001



ISO 14001

Other:

Policies and guidelines



The company has a code of conduct/policy/guidelines for dealing with social responsibility in the supplier chain, including procedures for ensuring the requirements



This is third-party audited

If yes, which if the following guidelines have you affiliated to or management system you have implemented



UN guiding principles for companies and human rights



ILO's eight core conventions



OECD Guidelines for Multinational Enterprises



UN Global Compact



ISO 26000

Other policy guidelines

Management system

If you have a management system for corporate social responsibility, what out of the following is included in the work?

- ☒ Mapping
- ☒ Risk analysis
- ☒ Action plan
- ☒ Monitoring

Sustainability reporting guidelines:

GRI (Global Reporting Initiative), GHG (Green House Gas Protocol)

2. ARTICLE INFORMATION

Document data

Id:

A-7300009-00795-0-290

Version:

1

Created:

2022-04-28 19:50:28

Last saved:

2025-07-18 12:39:51

Changes relates to:

Active Chilled Beam 1 - Architect

Article name:

Active Chilled Beam 1 - Architect

Article No/ID concept

Article identity: GTIN

7319666460046

Product group/Product group classification

Product group system	Product group id
BK04	21004
BSAB96	QM

Article description:

Architect is an active chilled beam for exposed installation that provides great freedom of choice in design. It is easy applicable with three predefined cover design solutions with great flexibility to create a customised design, without affecting the function and performance. One big advantage is that you can do your planning without having to decide on the design. This allows you to retrofit the design in a simple way.

The assessments at Byggsvarubedömningen is registered under the name "Aktiva tilluftsbaflar 1". It is also possible to use the article name or BVB ID 52785 as search criteria.

Declarations of performance:

Not applicable

Declaration of performance number:

Other information:

Annexes

Annex

Declaration of conformity

https://www.lindab.com/globalassets/commerce/lindabwebproductsdoc/assets/production/ymm0njkn2ytmixzc00mwu5ltk4nmqmtgtwzwyzi0yje/5249714003194056915/declaration_of_conformity_chilledbeams.pdf?v=1752399398

Installation instruction

https://www.lindab.com/globalassets/commerce/lindabwebproductsdoc/assets/production/ndbkymuxotqtzjh0s00mzu3lthkm2ytn2i1ogjmywflzdqx/5250038051620384235/architect-installation_global.pdf?v=1752397407

Eurovent certificate

<https://www.lindab.com/globalassets/commerce/lindabwebproductsdoc/assets/production/ownhmjy0ngutnjvjzs00ngmylthmnmtytwzjnti2mjpg3ndfi/5250301469607217491/eurovent-certificate.pdf?v=1752398200>

3. CHEMICAL CONTENT

Chemical content

Does the declaration apply to a product or chemical product?

product

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Not applicable

Is there classification of the article?

Not applicable

If yes, indicate the classification of the product under Regulation (EC) No

Enter which version of the candidate list has been used (Year, month, day)

2025-07-18

The article is covered by the RoHS Directive:

No

Enter the weight of the article:

Enter how large a proportion of the material content has been declared [%]:

100

If 100% material content is not declared, please state the reason

If the article contains nanomaterials deliberately added to obtain a particular function, enter these here:

The product does not contain deliberately added nanomaterial

Has the presence of nanomaterials deliberately added to notifiable chemical products been reported to the Product Register

No

Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:

Article and/or sub-components

Phase	Delivery		
Component	Body	Weight% of product	=82.816

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Steel		=100		
Steel	Galvanized steel	=100	EN 10346:2015	

Component	Hose	Weight% of product	=0.027
-----------	------	--------------------	--------

Comment

The data provider is solely responsible for data on articles/products that have been registered in the database. The data provider and the Swedish Association of Construction Product Industries cannot be held responsible for correct information incorrectly entered into the database.

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Plastic	PVC	=100	9002-86-2	
Plastic		=100		
		Comment: Lead free.		

Component	Plug	Weight% of product	=0.0003
-----------	------	--------------------	---------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Plastic	Polyethylene	=100	9002-88-4	
Plastic		=100		
		Comment: No classified or hazardous substances added to the plastic.		

Component	Powder coating	Weight% of product	=0.075
-----------	----------------	--------------------	--------

Comment Standard color used is AkzoNobel RAL 9003. See attached SDS in section 2.

Component	Regulating pin	Weight% of product	=0.308
-----------	----------------	--------------------	--------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Plastic	Polypropylene	=100	9003-07-0	
Plastic		=100		
		Comment: No classified or hazardous substances added to the plastic.		

Component	Safe sealing strip	Weight% of product	=0.059
-----------	--------------------	--------------------	--------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Rubber	EPDM	=100	Proprietary	Comment: The content of the EPDM rubber is confidential information. No classified or hazardous substances have been added. It fulfills all of BASTAs criteria as of July 2025.
Rubber		80<=x<=85		
Rubber		Paraffin oil		

Component	Screws and blind rivets	Weight% of product	=0.228
-----------	-------------------------	--------------------	--------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Metal	Steel and alu	=100	CK15 / 1.1141 / Alu 6061	
Metal		=100		

Component	Sealant		Weight% of product	=0.294
Comment				
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Sikacryl-Vent 188 N		=100		
		Comment: The product is registered in BASTA by the supplier. It fulfills all of BASTAs criteria as of July 2025.		
Component	Sealing strip		Weight% of product	=0.044
Comment				
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Rubber		=100		
Rubber	Polyethylene	=100	9002-88-4	
		Comment: No classified or hazardous substances added.		
Component	Spring		Weight% of product	=0.006
Comment				
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Steel		=100		
Steel	Steel	=100	EN 10270-1-SH	
Component	Steel band		Weight% of product	=0.029
Comment				
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Steel		=100		
Steel	Steel	=100	AZ SS-EN 10215	
Component	Water battery		Weight% of product	=16.115
Comment				
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Battery		=98.66		
		Comment: The water battery acts as a heat exchanger, using hot or cold water to adjust the temperature of the supply air.		
Battery	Aluminum	=60.91	EN AW 8006	
Battery	Copper	=39.09	7440-50-8	
		Comment: Solid form.		
Battery plate		=1.34		
Battery plate	Aluminum	=100	Aluminum 1050	

Other information:

4. RAW MATERIALS

Is there supporting documentation for the raw materials for third-party certified system for control of origin, raw material extraction, manufacturing or recycling processes or similar (for example BES 6001:2008, EMS certificate, USGBC Program)? If yes, enter system(s):

No

Raw materials

Total recycled material in the article



Is recycled material included in the article?

Material

Copper

Share of waste (from own production)

0

Share of waste (from other people's production)

0

Recycled material (treated)

100

Recycled material

0

Weight/percent by weight

>97 %

Comment

The European copper production is normally based on ~97% recycled material.

Material

Steel

Share of waste (from own production)

0

Share of waste (from other people's production)

0

Recycled material (treated)

100

Recycled material

0

Weight/percent by weight

>20 %

Comment

About 20% recycled material are being used in the production of steel.

Renewable material

Enter proportion of renewable material in the article

0



Included biobased raw material is tested according to ASTM test method D6866:

Origin of raw material

For this product, there has been no withdrawal of virgin fossil material

No

If yes, please indicate the maximum percentage of virgin fossil material that can be included in the material (or item) in question

Wood raw materials

☐ Wood raw materials are included

☐ Included wood raw material is certified

How large a proportion is certified [%]?

What certification system has been used (for example FSC, CSA, SFI with CoC, PEFC)?

Reference number:

Enter logging country for the wood raw material and that following criteria have been met. Country of logging:

☐ Does not contain type of wood or origin in CITES appendix of endangered species

Which version of CITES has been used for the check?

☐ The timber has been logged legally and there is certification for this

5. ENVIRONMENTAL IMPACT

Environmental impact during life cycle of the article, production phase module A1-A3 under EN

<input type="checkbox"/>	Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article?
--------------------------	---

These product-specific rules, known as PCR, have been applied:

Registration number / ID number for EPD:

--

--

If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account from a life cycle perspective:

The information refer to "gate to gate", inflows (raw materials, inputs, energy, etc.) for the registered product into the manufacturing unit, and outflows (emissions and waste) from it and relates to unit of product 1 kg.

Country of final manufacture: Sweden

Energy used in the manufacturing process of the product is electricity from renewable sources.

Transport: <99% truck, deliveries to the customer/branch, <1% electric forklift.

Climate impact from internal transports: CO2 0,0025 kg, CH4 <0,0001 kg and N2O <0,0001 kg.

Emissions to air, water or soil from the manufacture of the product, climate impact from operations: carbon dioxide equivalents (CO2-e) ≈ 3,75 kg per kilo product (includes energy/waste/scrap/travels)

The production itself causes no emissions to air, water or land.

Residual products from the manufacture of the product: <8% steel scrap, 100% is recycled, waste code 17 04 05. <5% aluminium scrap, 100% is recycled, waste code 17 04 02. <5% copper scrap, 100% is recycled, waste code 17 04 01. All waste is taken care of by a carrier with the necessary permits. No waste is exported.

For information about raw materials, distribution, waste etc., see the other sections.

6. DISTRIBUTION

Distribution of finished article

Does the supplier apply any system with multiple-use packaging for the article?

No

Does the supplier take back packaging for the article?

No

Is the supplier affiliated to a system for product responsibility for packaging?

Yes

If yes, which packaging and which system?

Näringslivets producentansvar

Can packaging/packaging be reused?

Yes

Can packaging/packaging be recycled?

Yes

Can packaging/packaging be energy recycled?

Yes

Does the supplier use Retursystem Byggpall?

No

Other information:

If possible products are packed together. The packaging materials include wood, cardboard, and plastic wrap.

All packaging consists of recyclable material.

Shipments of manufactured goods are mainly transported by truck to the customer/branch.

7. CONSTRUCTION PHASE

Construction phase

Does the article make special requirements in storage?

Yes

Specify

To prevent soiling and oxidation, the product should be stored protected from the weather.
See Lindab's product catalogue for more information.

Does the article make special requirements for surrounding building products?

No

Specify

Other information:

8. USE PHASE

Use phase

Does the article make requirements for input materials for operation and maintenance?

No

Specify:

Does the article require supply of energy during operation?

No

Specify:

Estimated technical service life for the article:

>50 years

Comment:

Lifetime depends on the environment where the product is being used. Corrosive environments can affect the life of the product negatively. There is a special instruction for the care of this product, see Lindab's product catalogue for more information. The product can be adapted to work with new technology.

Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?

Not applicable

If yes, enter labelling (G to A, A+, A++, A+++):

If yes, enter marking (G to A)

Other information:

9. DEMOLITION

Demolition

Is the article prepared for disassembly (dismantling)?

Yes

Can the product be separated into pure material types for recycling?

Not applicable

Specify:

The parts can easily be separated into steel, metals, rubber and plastic.

Does the article require special measures for protection of health and environment in demolition/disassembly?

Yes

Specify:

Appropriate protective equipment should be used to minimize risk of injury and discomfort.

Other information:

10. WASTE MANAGEMENT

Delivered article

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?

No

Is reuse possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

The entire product can be reused.

Is material recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

<99% of the material can be recycled.

Is energy recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

Heat recovery occurs at smelter.

Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?

Yes

Specify:

Should be recycled according to recommended waste code.

Waste code for the delivered article when it becomes waste

170401 - 01 Koppar, brons, mässing.

170402 - 02 Aluminium.

170405 - 05 Järn och stål.

170407 - 07 Blandade metaller.

191204 - 04 Plast och gummi.

When the supplied article becomes waste, is it classified as hazardous waste?

No

Mounted article

Is the mounted article classified as hazardous waste?

No

Other information

11. INDOOR ENVIRONMENT

Indoor environment

☐

The article is not intended for indoor use

☒

The article does not emit any substances

☐

Emissions from the article not measured

Does the article have a critical moisture state?

No

If yes, state what:

Noise

Can the article give rise to own noise?

No

Value:

Unit:

Measuring method:

Electrical field

Can the article give rise to electrical fields?

No

Value:

Unit:

Measuring method:

Magnetic fields

Can the article give rise to magnetic fields?

No

Value:

Unit:

Measuring method:

Paints and varnishes

☐

The article is resistant to fungi and algae in use in wet areas

Emissions

The article produces the following emissions in intended use:

Other information